



10/616,318

Copied

Atty Docket No. MOC03 P377

CERTIFICATE OF MAILING

I hereby certify that this paper, together with all enclosures identified herein, are being deposited with the United States Postal Service as first class mail, addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date indicated below.

September 1, 2005

Date

Dana A. Lozon
Dana A. Lozon

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No. : 6,892,043 B2
Dated : May 10, 2005
Inventor : Hayashi et al.

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
SEP 12 2005
of Correction

Dear Sir:

A request is being made for a Certificate of Correction in the above-identified patent which issued with the following errors identified by page and line from the application file.

- * Page 3, ¶ [0011], line 2, "phases" should be --phase--;
- * Page 5, ¶ [0027], line 2, delete "a";
- * Page 12, ¶ [0008], line 9, "42b" should be --41b--;
- * Page 13, ¶ [0013], line 3, "400% in Fig. 8" should be --400% in Fig. 9--;
- * Amend. A, claim 18, line 5, "fluctuations" should be --fluctuation--; and
- * Amend. A, claim 21, line 14, after "phase" insert --of--.

Enclosed is the Certificate of Correction Form PTO 1050 identifying errors by column and line from the patent which are chargeable to the Official Printer. Also enclosed is a check for \$100 to cover our errors which are identified with an asterisk. The Commissioner is hereby

SEP 13 2005

Patent No. : 6,892,043 *B2*
Dated : May 10, 2005
Page : 2

authorized to charge any additional payment, or to credit any overpayment, to Deposit Account
No. 16-2463.

Respectfully submitted,

HAYASHI ET AL.

By: Price, Heneveld, Cooper,
DeWitt & Litton, LLP



September 1, 2005

H. W. Reick
Registration No. 25 438
695 Kenmoor, S.E.
P. O. Box 2567
Grand Rapids, MI 49501
(616) 949-9610

HWR:dal

SEP 13 2005

Staple
Here
Only!UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,892,043 **B2**
DATED : May 10, 2005
INVENTOR(S) : Hayashi et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, line 31, "phases" should be --phase--.

Column 4, line 20, delete "a".

Column 8, line 55, "42b" should be --41b--.

Column 9, line 37, "400% in Fig. 8" should be --400% in Fig. 9--.

Column 18, line 8, "fluctuations" should be --fluctuation--.

Column 19, line 3, after "phase" insert --of--.

MAILING ADDRESS OF SENDER:

Mr. H. W. Reick
Price, Heneveld, Cooper,
DeWitt & Litton
P.O. Box 2567
Grand Rapids, MI 49501

PATENT NO. 6,892,043

No. of add'l copies
@ \$0.50 per page